Journal of Applied Polymer Science

Author Index—Volume 62

Abbate, M.
—; Martuscelli, E.; Musto, P.; Ragosta, G.; Leonardi, M.: A Novel Reactive Liquid Rubber with Maleimide End Groups for the Toughening of Unsaturated Polyester Resins, 2107
Abd-El-Messieh, S. L.
—; Younan, A. F.: Dielectric Relaxation and Mechanical Properties of Natural and Chloroprene Rubber with Some Nitroaniline Additives, 805
Abe, T. See Hayakawa, Y., 951
Abraham, D.
—; George, K. E.; Francis, D. J.: Flow Behavior of LDPE and Its Blends with LLDPE I and II: A Comparative Study, 59
Acharya, S. See Samal, S., 1437
Aggarwal, A.
—; Saxena, R.; Wang, B.; Caneba, G. T.: Studies of the Polymerization of Methacrylic Acid via Free-radical Retrograde Precipitation Polymerization Process, 2039
Agranova, S. A. See Polotskaya, G. A., 2215
Ahad, E. See Bui, V. T., 27
Akrman, J.
—; Přikryl, J.: Dyeing Behavior of Polypropylene Blend Fiber. I. Kinetic and Thermodynamic Parameters of the Dyeing System, 235
Albertsson, A.
—; Carlfors, J.; Sturesson, C.: Preparation and Characterisation of Poly(adipic anhydride) Microspheres for Ocular Drug Delivery, 695
Allen, N. S. See Shah, M., 319
Allen, S. D. See Scarparo, M. A. F., 491
Aminabhavi, T. M. See Rudzinski, W. E., 1587
Andrady, A. L.
—; Pegram, J. E.; Dreyfus, C.; Searle, N. D.: Wavelength Sensitivity of Enhanced Photodegradable Polyethylenes, ECO and LDPE/MX, 1457
—; Torikai, A.; Kobatake, T.: Spectral Sensitivity of Chitosan Photodegradation, 1465
Angeles, E. A. See Ĺopez-Castãnares, R., 451
Anna, D. H. See Zellers, E. T., 2069
Aoi, K. See Okada, M., 2257
Ap, D. C. See Guan, Q., 755
Apichatachutapan, W.
—; Moore, R. B.; Mauritz, K. A.: Asymmetric Nafion/[Zirconium Oxide] Hybrid Membranes via *In Situ* Sol-Gel Chemistry, 417
Arai, K. See Honda, I., 1577
Arsac, A. See Revenu, P., 1783
Aznar, A. J. See Gonzalez-Benito, J., 375
Azuma, C. See Wang, S. H., 957

Baer, E. See Tanrattanakul, V., 2005
Baier, A. See Pospiech, D., 1819
Banerjee, A. N. See Maji, T. K., 595; Saha, N., 1193, 1199
Banks, W. B. See Sun, R., 1473
Barbotin, F. See McKenna, T. F., 1835
Bartczak, Z.
—; Krasnikova, N. P.; Galeski, A.: Morphology and Texture of High-Density Polyethylene–Polystyrene Blends Deformed by Plane-Strain Compression, 167
Barton, R., Jr. See Hsiao, B. S., 2061
Baruah, S. D. See Goswami, A., 2155
Baselga, J. See Gonzalez-Benito, J., 375
Baysal, B. M. See Hamurcu, E. E., 1415
Behuray, T. B. See Samal, R. K., 655
Bell, J. P. See Zhang, X., 1303
Benoît, H.
—; Marot, G.; Panaras, R.; Perrinaud, R.: On the Selectivity of Adsorption Chromatography, 1847
Bermek, E. See Mustafaev, M., 99
Bernard, A. See Stevels, W. M., 1295
Bertucco, A. See Tognacci, R., 2341
Bochal, K. See Lokaj, J., 1129
Bodor, G. See Rácz, I., 2015
Bogoeva-Gaceva, G. See Mangovska, B., 605
Böhme, F. See Pospiech, D., 1819
Bondar, V. I. See Yampolskii, Y. P., 349
Borsa, J. See Rácz, I., 2015
Bove, L.
—; D'Aniello, C.; Gorrasi, G.; Guadagno, L.; Vittoria, V.: Transport Properties of Dichloromethane in Glassy Polymers. VI. Poly(ethylene terephthalate), 1035
Bravo, J. See Gonzalez-Benito, J., 375
Brosse, J. C. See Derouet, D., 1855
Bu, W.
—; He, J.: The Effect of Mixing Time on the Morphology of Immiscible Polymer Blends, 1445
Bubeck, R. A. See Wu, S., 1483
Buggy, M.
—; O'Byrne, K.: The Effects of Skydrol (a Hydraulic Fluid) on the Curing of Tetraglycidyl 4,4′-Diaminodiphenyl Methane/Diaminodiphenyl Sulfone-Based Resins, 1869
Bui, V. T.
—; Ahad, E.; Rheaume, D.;

Raymond, M. P.: Energetic Polyurethanes from Branched Glycidyl Azide Polymer and Copolymer, 27
Burford, R. P. See Wootthikanokkhan, J., 835

Cabanelas, J. C. See Gonzalez-Benito, J., 375
Cakmak, M. See Ülcer, Y., 1661
Campbell, L. A. See Cooper, J. B., 135
Caneba, G. T. See Aggarwal, A., 2039
Carlfors, J. See Albertsson, A., 695
Carlier, V. See Sclavons, M., 1205
Carriere, C. J. See Wu, S., 1483
Carrot, C. See Revenu, P., 1783
Catalgil-Giz, H. See Demirata-Öztürk, B., 613
Catalina, F. See Shah, M., 319
Chandra, R.
—; Rajabi, L.; Soni, R. K.: The Effect of Bismaleimide Resin on Curing Kinetics of Epoxy–Amine Thermosets, 661
Chang, F.-C. See Lu, M.-L., 863
Chang, M.-J.
—; Liao, Y.-H.; Myerson, A. S.; Kwei, T. K.: Gas Transport Properties of Polyaniline Membranes, 1427
Chaplin, R. P. See Wootthikanokkhan, J., 835
Charati, S. G. See Houde, A. Y., 2181
Chaudhari, H. K.
—; Kelkar, D. S.: X-ray Diffraction Study of Doped Polyaniline, 15
Cheikhalard, T.
—; Tighzert, L.; Pascault, J. P.: Polyurethane Macroazo Initiators Based on 2,2′-Azobis (2-Cyanopropanol) Kinetic Studies, 2365
Chen, B. See Sun, Q., 1605
Chen, D.
—; Qi, X.; Zhou, Z.; Zhong, A.; Du, Z.: Curing Behavior of Acrylate–Urethane System, 1715
Chen, J.
—; Chen, Q.; Yu, X.: Study on the Imidization Kinetics of Polyether-ester Polyamic Acid in Solid phase by Microwave Radiation, 2135
Chen, J.-R.
Study on Free Radicals of Cotton and Wool Fibers Treated with Low-Temperature Plasma, 1325
Chen, Q. See Chen, J., 2135
Chen, Q. J. See Scarparo, M. A. F., 491
Chen, T.-M. See Li, Y.-J., 687
Chen, W. C. See Song, Y. M., 827
Chen, X. See Zhang, M., 743
Chen, Y. C. See Chern, C. S., 585
Chen, Y.-T.
—; Macosko, C. W.: Kinetics and Rheology Characterization During Curing of Dicyanates, 567
Chern, C. S.
—; Lin, F. Y.; Chen, Y. C.; Lin, C. H.: Characterization of Carboxylated Poly(butyl acrylate) Latices Produced by a Semibatch Process, 585
Chetri, P.
—; Dass, N. N.: Synthesis of Poly(vinyl benzal) from Poly(vinyl alcohol) in Nonaqueous Medium, 2139
Chiou, K.-C. See Lu, M.-L., 863
Cho, C. S. See Lee, Y. M., 301
Cho, J. W.
—; Lee, G. W.; Chun, B. C.: Mechanical Properties of Nylon 6 Fibers Gel-Spun from Benzyl Alcohol Solution, 771
Cho, W.-J. See Ha, C.-S., 1011; Lee, D.-Y., 557
Choudhary, V.
—; Mishra, A.: Studies on the Copolymerization of Methyl Methacrylate and N-aryl Maleimides, 707
Chun, B. C. See Cho, J. W., 771
Çirakoğlu, B. See Mustafaev, M., 99
Cisneros, A. See Infante, J. R., 2311
Coka, V. See Saraç, A. S., 111
Conner, A. H. See Sowunmi, S., 577
Cook, W. D.
—; Moad, G.; Fox, B.; Van Deipen, G.; Zhang, T.; Cser, F.; McCarthy, L.: Morphology–Property Relationships in ABS/PET Blends. II. Influence of Processing Conditions on Structure and Properties, 1709
—; Zhang, T.; Moad, G.; Van Deipen, G.; Cser, F.; Fox, B.; O'Shea, M.: Morphology–Property Relationships in ABS/PET Blends. I. Compositional Effects, 1699
Cooper, J. B.
—; Vess, T. M.; Campbell, L. A.; Jensen, B. J.: Real-Time *In Situ* Monitoring of the Thermal Cure of a Bisphenol Cyanate: A View Toward Intelligent Processing, 135
Cooper, S. L. See Velankar, S., 1361
Cottier, S.
—; Riquet, A. M.; Feigenbaum, A.; Mortreuil, P.: Structural Study of a Varnish by Electron Spin Resonance, 2219
Cser, F. See Cook, W. D., 1699, 1709

Dai, H. See Hao, J. H., 129
Dakin, V. I.
Radiation-Induced Crosslinking in Polymer–Polyfunctional Monomer Systems, 779
Dalai, S.
—; Wenxiu, C.: Investigation of Radiation-Crosslinked Foam of LDPE/EVA Blends, 75
Damodaran, S. See Hwang, D.-C., 1285
Dan, F. See Vasiliu-Oprea, C., 1517
D'Aniello, C. See Bove, L., 1035
Dargent, E. See Denis, A., 1211
Das, R. R. See Samal, S., 1437
Dass, N. N. See Chetri, P., 2139, Goswami, A., 2155
Davis, C. R.
Crystallization Behavior and Mechanical Properties of a Nylon-6, -6/6, and -12 Terpolyamide, 2237
De, P. P. See Kurian, T., 1729
De, S. K. See Kurian, T., 1729
De Carvalho, G.
—; Frollini, E.; Nunes Dos Santos, W.: Thermal Conductivity of Polymers by Hot-Wire Method, 2281
De Kee, D. See Gonzalez-Nunez, R., 1627
De Roover, B. See Sclavons, M., 1205
De Yao, K. See Guan, Y. L., 1253

Delgado, J. A. See Galán, C., 1263
Demirata-Öztürk, B.
—; Catalgil-Giz, H.; Gümüs, G.; Öncül-Koc, A.: Preconcentration of Copper Ion in Aqueous Phase on Methacrylate Polymers, 613
Denis, A.
—; Dargent, E.; Lebaudy, P. H.; Grenet, J.; Vautier, C.: Dependence on the Spectral Scattering Coefficient on Crystallinity into Semicrystalline Polyester, 1211
Derouet, D.
—; Morvan, F.; Brosse, J. C.: Chemical Modification of Epoxy Resins by Dialkyl(or Aryl)Phosphates: Evaluation of Fire Behavior and Thermal Stability, 1855
Devaux, J. See Sclavons, M., 1205
Devi, A. S.
—; Subramaniam, V.: Orientation of Aqueous Stretched Cottons as Measured by X-Ray Diffraction, 1259
Devi, S. See Roy, S., 1509
Di Serio, M.
—; Tesser, R.; Trulli, F.; Santacesaria, E.: Kinetic and Catalytic Aspects in Melt Transesterification of Dimethyl Terephthalate with Ethylene Glycol in the Presence of Different Catalytic Systems, 409
Dijkstra, P. J. See Stevels, W. M., 1295
Dimonie, V. L. See Tanrattanakul, V., 2005
Ding, Z. See Pu, H., 1529; Spruiell, J. E., 1965
Dintzis, F. R.
—; Fanta, G. F.: Effects of Jet-Cooking Conditions upon Intrinsic Viscosity and Flow Properties of Starches, 749
Dreyfus, C. See Andrady, A. L., 1457
Du, F.-S.
—; Li, F.-M.: Synthesis and Photochemical Behavior of 2-(*N*-acridono)ethyl Methacrylate and Its Polymer, 1185
Du, Z. See Chen, D., 1715
Ducruet, V. J.
—; Rasse, A.; Feigenbaum, A. E.: Food and Packaging Interactions: Use of Methyl Red as a Probe for PVC Swelling by Fatty Acid Esters, 1745

Ebewele, R. O. See Sowunmi, S., 577
Ebringerová, A.
—; Novotná, Z.; Kačuráková, M.; Machová, E.: Chemical Modification of Beechwood Xylan with *p*-Carboxybenzyl Bromide, 1043
Eckstein, K. See Pospiech, D., 1819
Edge, M. See Shah, M., 319
Eguchi, Y. See Kubota, N., 1153
Eguiazabal, J. I. See Martinez, J. M., 385
Ehrenstein, G. W. See Kabelka, J., 181
Eichhorn, K.-J.
—; Lehmann, D.; Voigt, D.: Characterization of Low Molecular Weight Carboxyl-Terminated Polyamides Obtained by Reactive Extrusion of Polyamide 6 with Trimellitic Anhydride, 2053
El-Aasser, M. S. See Tanrattanakul, V., 2005
Enishi, K. See Nonaka, T., 1651
Escalante, J. I.
—; Rodríguez-Guadarrama, L. A.; Mendizábal, E.; Puig, J. E.; López, R. G.; Katime, I.: Synthesis of Poly(butyl methacrylate) in Three-Component Cationic Microemulsions, 1313
Estenoz, D. A.
—; Leal, G. P.; Lopez, Y. R.; Oliva, H. M.; Meira, G. R.: Bulk Polymerization of Styrene in the Presence of Polybutadiene. The Use of Bifunctional Initiators, 917
Eunice, S. L. See Reddy, G. V., 257

Fang, F. See Fang, Y., 2209
Fang, Y.
—; Lu, X. B.; Wang, S. Z.; Zhao, X.; Fang, F.: Study of Radiation-Induced Graft Copolymerization of Vinyl Acetate onto Ethylene-*co*-Propylene Rubber, 2209
Fanta, G. F. See Dintzis, F. R., 749
Farrow, J. B. See Scott, J. P., 2097
Favis, B. See Gonzalez-Nunez, R., 1627
Fawell, P. D. See Scott, J. P., 2097
Feigenbaum, A. See Cottier, S., 2219
Feigenbaum, A. E. See Ducruet, V. J., 1745
Feijen, J. See Stevels, W. M., 1295
Fendler, J. H. See Lopez-Castãnares, R., 451
Feng, L. See Xu, J., 727
Finkleshtein, E. Sh. See Yampolskii, Y. P., 349
Fong, C. F. C. M. See Gonzalez-Nunez, R., 1627
Ford, T. E. See Gu, J.-D., 1029
Fouda, A. E. See Kim, H. J., 621
Fox, B. See Cook, W. D., 1699, 1709
Francillette, J. See Guibe, C., 1941
Francis, D. J. See Abraham, D., 59
Franquinet, P. See Sclavons, M., 1205
Frollini, E. See De Carvalho, G., 2281
Furtner, B. See Macko, T., 2201

Gadoum, A.
—; Gosse, B.; Gosse, J. P.: Effect of an Epoxy Additive on the Electrical Aging of Impregnated Polypropylene Films, 1679
Galán, C.
—; Sierra, C. A.; Gómez Fatou, J. M.; Delgado, J. A.: A Hot-Melt Pressure-Sensitive Adhesive Based on Styrene–Butadiene–Styrene Rubber. The Effect of Adhesive Composition on the Properties, 1263
Galeski, A. See Bartczak, Z., 167
Gao, J. See Yu, J., 1491
Gazdina, N. V. See Polotskaya, G. A., 2215
George, K. E. See Abraham, D., 59

Giuliani, B. V. K. M.
—; McGill, W. J.: Tetramethylthiuram Disulfide and 2-Mercaptobenzothiazole as Binary Accelerators in Sulfur Vulcanization. III. Vulcanization of Polyisoprene in the Absence of ZnO, 1057
—; McGill, W. J.: Tetramethylthiuram Disulfide and 2-Mercaptobenzothiazole as Binary Accelerators in Sulfur Vulcanization. IV. Vulcanization of Polyisoprene in the Presence of ZnO, 647
Go, J.-H.
—; Ha, C.-S.: Rheology and Properties of EPDM/BR Blends with or Without a Homogenizing Agent or a Coupling Agent, 509
Gómez Fatou, J. M. See Galán, C., 1263
Gonzalez-Benito, J.
—; Cabanelas, J. C.; Aznar, A. J.; Vigil, M. R.; Bravo, J.; Baselga, J.: Surface Characterization of Silanized Glass Fibers by Labeling with Environmental Sensitive Fluorophores, 375
Gonzalez-Nunez, R.
—; Fong, C. F. C. M.; Favis, B.; De Kee, D.: Deformation of Drops in Extensional Viscoelastic Flow, 1627
Gopinathan Nair, M. R. See Thomas, G. V., 2229
Gorrasi, G. See Bove, L., 1035
Gosse, B. See Gadoum, A., 1679
Gosse, J. P. See Gadoum, A., 1679
Goswami, A.
—; Baruah, S. D.; Dass, N. N.: Effect of Tris(bathophenanthroline)iron(III) on the Polymerization of Styrene, 2155
Grabchev, I. See Konstantinova, T., 447
Greer, R. W.
—; Wilkes, G. L.: Process Structure Property Relationships in Electron Beam Generated Cellular Materials, 1115
Grenet, J. See Denis, A., 1211
Grigorova, M.
—; Mihailov, M.: Polyethylene–Polyethylene Blends Modified With An Additive of Isotactic Polypropylene, 721
Gu, A.
—; Liang, G.; Lan, L.: A High-Performance Bismaleimide Resin with Good Processing Characteristics, 799
Guadagno, L. See Bove, L., 1035
Guan, Q.
—; Zhu, X.; Ap, D. C.; Shen, K.; Lai, F. S.; Mccarthy, S. P.: Self-Reinforcement of Polypropylene by Oscillating Packing Injection Molding Under Low Pressure, 755
Guan, Y. L.
—; Shao, L.; Liu, J.; De Yao, K.: pH Effect on Correlation Between Water State and Swelling Kinetics of the Crosslinked Chitosan/Polyether Semi-IPN Hydrogel, 1253
Guibe, C.
—; Francillette, J.: Time-Temperature-Transformation (TTT) Cure Diagrams: Relationships Between T_g, Cure Temperature, and Time for DGEBA/DETA Systems, 1941
Guillet, J. See Revenu, P., 1783
Gu, J.-D.
—; Ford, T. E.; Mitchell, R.: Susceptibility of Electronic Insulating Polyimides to Microbial Degradation, 1029
Gümüs, G. See Demirata-Öztürk, B., 613
Gunatillake, P. A. See Martin, D. J., 1377
Güner, A.
Properties of Aqueous Salt Solutions of Poly(vinylpyrrolidone): I. Viscosity Characteristics, 785
Gupta, N. See Pande, C. S., 955, 1793
Gupta, S. K. See Kohli, N. K., 1219, 1395
Guriya, K. C.
—; Tripathy, D. K.: Morphology and Physical Properties of Closed-Cell Microcellular Ethylene–Propylene–Diene Terpolymer (EPDM) Rubber Vulcanizates: Effect of Blowing Agent and Carbon Black Loading, 117

Ha, C.-S.
—; Jung, S.-J.; Kim, E.-S.; Kim, W.-S.; Lee, S.-J.; Cho, W.-J.: Properties of UV-Curable Polyurethane Acrylates Using Nonyellowing Polyisocyanate for Floor Coating, 1011
—; See Go, J.-H., 509; Lee, D.-Y., 557
Ha, W. S. See Lyoo, W. S., 473
Hagen, R.
—; Salmén, L.; Karlsson, O.; Wesslén, B.: Viscoelastic Properties and Film Morphology of Heterogeneous Styrene/Butadiene Latexes, 1067
Hamurcu, E. E.
—; Hazer, B.; Misirli, Z.; Baysal, B. M.: Preparation and Characterization of Block and Graft Copolymers Using Macroazoinitiators Having Siloxane Units, 1415
Han, Y.
—; Li, B.; Yang, Y.: The Relationship Between Viscoelastic Transition and Yield Behavior of Phenolphthalein Poly(ether ketone), 1739
Hao, J. H.
—; Dai, H.; Yang, P.; Wang, Z.: Spinning of Cellulose Acetate Hollow Fiber by Dry–Wet Technique of 3C-Shaped Spinneret, 129
Hao, S. See Liu, Z., 2355
Haralabakopoulos, A. A.
—; Tsiourvas, D.; Paleos, C. M.: Modification of Poly(vinyl alcohol) with Aliphatic and Aromatic Epoxides in the Molten Phase, 1597
Harlapur, S. F. See Rudzinski, W. E., 1587
Hart, E. See Wang, Y., 501
Hayakawa, Y.
—; Terasawa, N.; Hayashi, E.; Abe, T.: Plasma Polymerization of Cyclic Perfluoroamines and Composite Membranes for Gas Separation (note), 951

Hayashi, E. See Hayakawa, Y., 951
Hazer, B. See Hamurcu, E. E., 1415
Häßler, L. See Pospiech, D., 1819
He, J. See Bu, W., 1445
He, X. See Jia, X., 465
Hiltner, A. See Tanrattanakul, V., 2005
Hino, T.
—; Prausnitz, J. M.: Swelling Equilibria for Heterogeneous Polyacrylamide Gels, 1635
Ho, T.-H. See Lee, M.-C., 217
Hoffmann, L. See Kabelka, J., 181
Honda, I.
—; Arai, K.: Determination of the Number of Crosslinks in Collagens from Mechanical Properties of the Swollen Fiber, 1577
Hong, K. L. See Wang, P. H., 1987
Hoshino, M.
—; Kimachi, Y.; Terada, A.: Thermogravimetric Behavior of Perfluoropolyether, 207
Houde, A. Y.
—; Krishnakumar, B.; Charati, S. G.; Stern, S. A.: Permeability of Dense (Homogeneous) Cellulose Acetate Membranes to Methane, Carbon Dioxide, and Their Mixtures at Elevated Pressures, 2181
Hou, K. See Li, F., 631
Hourston, D. J.
—; Schäfer, F.-U.: Poly(ether urethane)/Poly(ethyl methacrylate) IPNs with High Damping Characteristics: The Influence of the Crosslink Density in Both Networks, 2025
Hsiao, B. S.
—; Barton, R., Jr.; Quintana, J.: Simple On-Line X-Ray Setup to Monitor Structural Changes During Fiber Processing, 2061
Hsu, T.-M. See Shieh, Y.-T., 1723
Hsu, W.-H.
—; Shau, M.-D.: The Properties of Epoxy–Imide Resin Cured by Cyclic Phosphine Oxide Diacid, 427
Hu, R. See Tanrattanakul, V., 2005
Hu, X.-P.
—; Johnson, D. J.; Tomka, J. G.: The Molecular Structure of Polyacrylonitrile Fibers, 1925
Huang, F. See Yuan, Q., 459
Huang, S. K. See Lin, S.-T., 1641
Huber, F.
—; Springer, J.: Construction of a Plasma Polymerization Reactor System for Laboratory Use, 145
Hwang, D.-C.
—; Damodaran, S.: Equilibrium Swelling Properties of a Novel Ethylenediaminetetraacetic Dianhydride (EDTAD)-Modified Soy Protein Hydrogel, 1285

Ibhadon, A. O.
Physical Aging in Isotactic Polypropylene, 1843
Ikeda, Y. See Sando, K., 1093
Infante, J. R.
—; Villarreal, L. A.; Cisneros, A.; Peralta, R. D.; López, R. G.; Treviño, M. E.; Wisniak, J.: Integration of Hardware and Software in a High-Performance Laboratory Reactor, 2311
Inoue, H.
—; Sasaki, Y.; Ogawa, T.: Properties of Copolyimides Prepared from Different Tetracarboxylic Dianhydrides and Diamines, 2303
Inoune, T. See Ishikawa, M., 1495
Iroh, J. O.
—; Wood, G. A.: Physical and Chemical Properties of Polypyrrole–Carbon Fiber Interphases Formed by Aqueous Electrosynthesis, 1761
Ishikawa, M.
—; Sugimoto, M.; Inoune, T.: Mechanism of Toughening for Polypropylene Blended with Ethylene–Propylene–Diene Rubber Following Selective Crosslinking, 1495
—; See Yanagase, A., 1387
Ito, M. See Yanagase, A., 1387

Jönsson, J.-E. See Odeberg, J., 435
Jain, S. R. See Sekkar, V., 2317
Jang, J.
—; Lee, J. H.: Effect of Imidization Temperature on the Adhesion of Polyimide on Aluminum, 199
Janke, A. See Pospiech, D., 1819
Järvelä, P.
—; Shucai, L.; Järvelä, P.: Dynamic Mechanical Properties and Morphology of Polypropylene/Maleated Polypropylene Blends, 813
Jegal, J. G. See Yeom, C. K., 1561
Jehnichen, D. See Pospiech, D., 1819
Jensen, B. J. See Cooper, J. B., 135
Jeong, J.-G. See Lee, D.-Y., 557
Jeon, J.-Y.
—; Tak, T.-M.: Synthesis and Characterization of Block Copoly(urethane–imide), 763
Jia, W. See Zhang, M., 743
Jia, X.
—; He, X.; Yu, X.: Synthesis and Properties of Main-Chain Liquid Crystalline Polyurethane Elastomers with Azoxybenzene, 465
Jiang, H. See Lu, G., 2193
Jiao, Y. See Yuan, Q., 459
Jia, Y. See Yang, X., 2351
Johnson, D. J. See Hu, X.-P., 1925
Jonasson, K. See Kim, H. J., 621
Jones, F. N. See Subrayan, R. P., 1237
Jung, S.-J. See Ha, C.-S., 1011

Kabelka, J.
—; Hoffmann, L.; Ehrenstein, G. W.: Damage Process Modeling on SMC, 181
Kačuráková, M. See Ebringerová, A., 1043
Kaczmarczyk, B. See Minkova, L. I., 1613
Kalaiarasi, R. See Reddy, G. V., 257
Kang, H.-S. See Lee, D.-Y., 557
Karger-Kocsis, J.
—; Varga, J.: Effects of β-α Transformation on the Static

and Dynamic Tensile Behavior of Isotactic Polypropylene, 291
Karlsson, O. See Hagen, R., 1067
Karmaker, A. C.
—; Youngquist, J. A.: Injection Molding of Polypropylene Reinforced with Short Jute Fibers, 1147
Katime, I. See Escalante, J. I., 1313
Kawabata, N. See Sando, K., 1093
Kawakami, H.
—; Mikawa, M.; Nagaoka, S.: Gas Permeability and Selectivity Through Asymmetric Polyimide Membranes, 965
Kelkar, D. S. See Chaudhari, H. K., 15
Kenig, S. See Wolf, B., 1339
Kershner, L. D. See Sarkar, N., 393
Khattab, M. A.
Spontaneous Ignition Behavior of Cotton Fabric Having Different Amounts of Polyester, 1503
Kim, B. See Li, F., 631
Kim, E.-S. See Ha, C.-S., 1011
Kim, H. J.
—; Tyagi, R. K.; Fouda, A. E.; Jonasson, K.: The Kinetic Study for Asymmetric Membrane Formation via Phase-Inversion Process, 621
Kim, J. H. See Lyoo, W. S., 473
Kim, J.-Y. See Song, M.-E., 1775
Kim, S. H. See Lee, Y. M., 301
Kim, W.-S. See Ha, C.-S., 1011
Kimachi, Y. See Hoshino, M., 207
Klopstock, J. See Wolf, B., 1339
Klyachkin, Y. See Kondyurin, A., 1
Kobatake, T. See Andrady, A. L., 1465
Kodama, M. See Li, Y.-J., 687
Kohjiya, S. See Sando, K., 1093
Kohli, N. K.
—; Sareen, R.; Gupta, S. K.: Dynamic Optimization of an Industrial Semi-batch Nylon 6 Reactor with End Point Constraints and Stopping Conditions, 1219
Kolstad, J. J.
Crystallization Kinetics of Poly(L-lactide-*co*-*meso*-lactide), 1079
Komber, H. See Pospiech, D., 1819
Kondyurin, A.
—; Klyachkin, Y.: Adhesion of UV-Treated Rubbers to Epoxy Adhesives, 1
Konečny, D. See Lokaj, J., 1129
Kong, X. See Xu, J., 727
Konstantinova, T.
—; Grabchev, I.: On the Copolymerization of Styrene with Some Dyes that are Naphthalimide Derivatives, 447
Krasnikova, N. P. See Bartczak, Z., 167
Krishnakumar, B. See Houde, A. Y., 2181
Krishnamurthy, V. N. See Sekkar, V., 2317
Krishnamurti, N. See Mohanty, S., 1993
Kubota, N.
—; Nakagawa, Y.; Eguchi, Y.: Recovery of Serum Proteins Using Cellulosic Affinity Membrane Modified by Immobilization of Cu^{2+} Ion, 1153
Kunugi, T.
—; Suzuki, A.: Preparation of High-Modulus Poly(ethylene Terephthalate) Fibers by Vibrating Hot Drawing, 713
Kurian, T.
—; De, P. P.; Tripathy, D. K.; De, S. K.; Peiffer, D. G.: Effect of Clay on Properties of Ionic Thermoplastic Elastomer Based on EPDM, 1729
Kurihara, S.
—; Minagoshi, A.; Nonaka, T.: Preparation of Poly(*N*-isopropylacrylamide)–SiO_2 Hybrid Gels and Their Thermosensitive Properties, 153
Kurihara, S. See Nonaka, T., 1651
Kurth, M. J. See Zhou, W.-J., 911
Kuznetsov, Y. P. See Polotskaya, G. A., 2215
Kwei, T. K. See Chang, M.-J., 1427
Kyotani, M. See Yoshikai, K., 1331

La Forest, M. L. See Xanthos, M., 1167
La Mantia, F. P.
—; Scaffaro, R.; Pedretti, U.; Roggero, A.: Processing and Characterization of Blends of Fluoroelastomers with Semirigid Liquid Crystal Polymers, 673
—; See Minkova, L. I., 1613
Labow, R. S. See Tang, Y. W., 1133
Lai, F. S. See Guan, Q., 755
Lambla, M. See Schneider, M., 273
Lan, L. See Gu, A., 799
Langer, R. See Seidel, J. O., 1277
Langevin, D. See M'Bareck, C. O., 161
Laurencin, C. T. See Seidel, J. O., 1277
Law, S. J.
—; Mukhopadhyay, S. K.: Investigation of Wet-Spun Acrylic Fiber Morphology by Membrane Technology Techniques, 33
Lawther, J. M. See Sun, R., 1473
Leal, G. P. See Estenoz, D. A., 917
Lebaudy, P. H. See Denis, A., 1211
Lederer, K. See Macko, T., 2201
Lee, D.-Y.
—; Jeong, J.-G.; Lee, N.-J.; Kang, H.-S.; Ha, C.-S.; Cho, W.-J.: Synthesis and Biological Activities of Polymers Containing *exo*-3,6-Epoxy-1,2,3,6-Tetrahydrophthalic Glycinylimide, 557
Lee, G. W. See Cho, J. W., 771
Lee, J. H. See Jang, J., 199
Lee, K. H. See Yeom, C. K., 1561
Lee, M.-C.
—; Ho, T.-H.; Wang, C.-S.: Synthesis of Tetrafunctional Epoxy Resins and Their Modification with Polydimethylsiloxane for Electronic Application, 217
Lee, M.-S. See Wu, H.-D., 227
Lee, N.-J. See Lee, D.-Y., 557
Lee, S.-J. See Ha, C.-S., 1011
Lee, W.-F.
—; Wu, R.-J.: Superabsorbent Polymeric Materials. I. Swelling Behaviors of Crosslinked Poly(sodium acrylate-*co*-hydroxyethyl

methacrylate) in Aqueous Salt Solution, 1099
Lee, Y. M.
—; Kim, S. H.; Cho, C. S.: Synthesis and Swelling Characteristics of pH and Thermo-responsive Interpenetrating Polymer Network Hydrogel Composed of Poly(vinyl alcohol) and Poly(acrylic acid), 301
Legras, R. See Sclavons, M., 1205
Lehmann, D. See Eichhorn, K.-J., 2053
Leonardi, M. See Abbate, M., 2107
Li, B. See Han, Y., 1739
Li, F.
—; Hou, K.; Zhu, W.; Zhang, X.; Xu, M.; Luo, X.; Ma, D.; Kim, B.: Crystallinity and Morphology of Segmented Polyurethanes (SPUs) with Different Soft Segment Length, 631
Li, F.-M. See Du, F.-S., 1185
Li, G.
—; Shen, J.; Zhu, Y.: A Study of Pyridinium-Type Functional Polymers. I. Preparation and Characterization of Soluble Pyridinium-Type Functional Polymers, 2247
Li, L. See Zhang, X. M., 1933
Li, M.-S. See Ma, C.-C. M., 523
Li, S. M. See Torres, A., 2295
Li, W.
—; Wan, M.: Electrical and Magnetic Properties of Conjugated Schiff Base Polymers, 941
Li, X. See Lu, G., 2193
Li, Y. See Liu, Z., 2355
Li, Y.-J.
—; Matthews, K. H.; Wang, Y.-F.; Chen, T.-M.; Kodama, M.; Nakaya, T.: Synthesis and Properties of Phospholipid Polyurethanes with Poly(isoprene) Soft Segment, 687
Li, Z. See Liu, J., 1231
Liang, G. See Gu, A., 799
Liang, L. See Ruckenstein, E., 973
Liao, Y.-H. See Chang, M.-J., 1427
Liaw, D.-J.
—; Ou, D.-L.: Synthesis and Characterization of Novel Silane-Containing Aromatic Polyamides from Bis(*p*-aminophenoxy)diphenylsilane and Aromatic Dicarboxylic Acids, 9
Lin, C. H. See Chern, C. S., 585
Lin, F. Y. See Chern, C. S., 585
Lin, S.-T.
—; Huang, S. K.: Study of Curing Kinetics of Siloxane-modified DGEBA Epoxy Resins, 1641
Lin, T. See Yu, J., 1491
Linliu, K. See Song, Y. M., 827
Liu, J.
—; Li, Z.: Studies on Curing Reaction Kinetics and Properties of the CPE as a Modifier of Polyester–Urethane Elastomer, 1231
Liu, J. See Guan, Y. L., 1253
Liu, S.-J.:
A New Viscoelastic Phase-Transformation Model to Simulate the Injection-Molding Residual Stress, 1537
Liu, Z.
—; Li, Y.; Wong, D.; Hao, S.: Anionic Block Copolymerization of Cyclotetrasilaxanes Initiated by *P-bis*(dimethyl-lithiioxysilyl)Benzene, 2355
Lokaj, J.
—; Bochal, K.; Konečny, D.: Thermal Radical Polymerization Reactions with Polystyrene and Poly(methyl Methacrylate) Macroinitiators Containing Thiyl End-Groups (note), 1129
Long, Y.
—; Shanks, R. A.: PP/Elastomer/Filler Hybrids. II. Morphologies and Fracture, 639
López-Castañares, R.
—; Angeles, E. A.; Sánchez, V.; Fendler, J. H.: Detection of Glass Transition in Poly(ethylene terephthalate) and Nylon-6 by Positron Annihilation, 451
López, R. G. See Escalante, J. I., 1313; Infante, J. R., 2311
López, Y. R. See Estenoz, D. A., 917
Lu, F.-M. See Spruiell, J. E., 1965
Lu, G.
—; Li, X.; Jiang, H.; Mao, X.: Electrical Conductivity of Carbon Fibers/ABS Resin Composites Mixed with Carbon Blacks, 2193
Lu, M.-L.
—; Chiou, K.-C.; Chang, F.-C.: Effect of Temperature on Fracture Toughness of PC/ABS Based on *J*-Integral and Hysteresis Energy Methods, 863
Lu, X. B. See Fang, Y., 2209
Luo, X. See Li, F., 631
Lyoo, W. S.
—; Kim, J. H.; Ha, W. S.: Kinetics of Copolycondensation of Bis(4-hydroxybutyl) Terephthalate and Bis(2-hydroxyethyl) Terephthalate by Ester-Interchange Reaction, 473

Ma, C.-C. M.
—; Li, M.-S.; Wu, Y.-D.; Su, Y.-F.: Blocked Diisocyanate-Modified Epoxy Resin: Mechanism and Mechanical Properties, 523
—; See Wu, H.-D., 227
Ma, D. See Li, F., 631
Ma, J. See Yang, X., 2351
Ma, Z. See Pu, H., 1529
Machová, E. See Ebringerová, A., 1043
Macko, T.
—; Furtner, B.; Lederer, K.: Analysis of Aromatic Antioxidants and Ultraviolet Stabilizers in Polyethylene using High-Temperature Extraction with Low Boiling Solvent, 2201
Macosko, C. W. See Chen, Y.-T., 567
Magagnini, P. L. See Minkova, L. I., 1613
Maji, T. K.
—; Banerjee, A. N.: Graft Copolymerization of Methyl Methacrylate on Silk Fiber Using Mohr's Salt—Potassium Persulfate as Redox Initiator Under Visible Light in a Limited Aqueous Medium, 595
Makovetskii, K. L. See Yampolskii, Y. P., 349
Mangovska, B.
—; Bogoeva-Gaceva, G.; Pohlers,

A.: Structure and Basic Properties of Aminated PET, 605
Mao, X. See Lu, G., 2193
Marot, G. See Benoît, H., 1847
Martin, C. R. See Parthasarathy, R. V., 875
Martin, D. J.
—; Meijs, G. F.; Renwick, G. M.; McCarthy, S. J.; Gunatillake, P. A.: The Effect of Average Soft Segment Length on Morphology and Properties of a Series of Polyurethane Elastomers. Part I: Characterisation of the Series, 1377
Martinez, J. M.
—; Eguiazabal, J. I.; Nazabal, J.: Miscibility Level and Properties of Poly(ether imide)/Poly(ethylene terephthalate) Blends, 385
Martin, L. R.
—; Urban, M. W.: Surface and Interfacial Fourier Transform Infrared Spectroscopic Studies of Latexes. XV. Orientation of the Sodium Dioctyl Sulfosuccinate Surfactant Molecules in Core/Shell-Type Styrene/Butyl Acrylate Latex Films at the Film-Air and Film-Substrate Interfaces, 1893
Martuscelli, E. See Abbate, M., 2107
Masuko, T. See Yonetake, K., 1049
Mathew, J. See Shaban, H. I., 847
Matsuzawa, S. See Nagashima, N., 1551
Matthews, K. H. See Li, Y.-J., 687
Mauritz, K. A. See Apichatachutapan, W., 417
M'Bareck, C. O.
—; Metayer, M.; Langevin, D.; Roudesli, S.: Viscosimetric Study of Poly(vinyl alcohol)/Poly(styrenesulfonic acid) Miscibility in Dilute Aqueous Solution, 161
McCarthy, L. See Cook, W. D., 1709
McCarthy, S. J. See Martin, D. J., 1377
McCarthy, S. P. See Guan, Q., 755
McCullough, R. L. See Skourlis, T. P., 481
McGill, W. J. See Giuliani, B. V. K. M., 647, 1057
McKenna, T. F.
—; Barbotin, F.; Spitz, R.: Modeling of Transfer Phenomena on Heterogeneous Ziegler Catalysts. II. Experimental Investigation of Intraparticle Mass Transfer Resistance During the Polymerization of Ethylene in Slurry, 1835
Meijs, G. F. See Martin, D. J., 1377
Meira, G. R. See Estenoz, D. A., 917
Mendizábal, E. See Escalante, J. I., 1313
Merino, J. C. See Rodriguez-Cabello, J. C., 1953
Merwin, L. H.
—; Nissan, R. A.; Stephens, T. S.; Wallne, A. S.: Magnetic Resonance Imaging Study of Solid Rocket Propellants and Liners, 341
Metayer, M. See M'Bareck, C. O., 161
Mihailov, M. See Grigorova, M., 721
Mikawa, M. See Kawakami, H., 965
Miller, A. S. See Scarparo, M. A. F., 491
Miltz, J. See Wolf, B., 1339
Minagoshi, A. See Kurihara, S., 153
Ming, H. See Zhang, Q., 887
Minkova, L. I.
—; Miteva, Ts.; Sek, D.; Kaczmarczyk, B.; Magagnini, P. L.; Paci, M.; La Mantia, F. P.; Scaffaro, R.: Reactive Blending of a Functionalized Polyethylene with a Semiflexible Liquid Crystalline Copolyester, 1613
Mishra, A. See Choudhary, V., 707
Mishra, S. P. See Rajendran, S., 989
Misirli, Z. See Hamurcu, E. E., 1415
Misra, A. See Sawhney, G., 1395
Mitchell, R. See Gu, J.-D., 1029
Miteva, Ts. See Minkova, L. I., 1613
Mitra, B. C. See Saha, A. K., 733
Miyata, H. See Yamaguchi, M., 87
Mizutani, Y. See Nagó, S., 81
Moad, G. See Cook, W. D., 1699, 1709
Mohanty, S.
—; Krishnamurti, N.: Synthesis and Characterization of Aqueous Cationomeric Polyurethanes and Their Use as Adhesives, 1993
Moore, R. B. See Apichatachutapan, W., 417
Mortreuil, P. See Cottier, S., 2219
Morvan, F. See Derouet, D., 1855
Mukhopadhyay, S. See Zhu, W., 2267
Mukhopadhyay, S. K. See Law, S. J., 33
Mülhaupt, R. See Stricker, F., 1799
Mustafaev, M.
—; Çirakoğlu, B.; Saraç, S.; Öztürk, S.; Yücel, F.; Bermek, E.: Soluble and Insoluble Ternary Complexes of Serum Proteins with Polyanions in the Presence of Cu^{2+} in Water, 99
Musto, P. See Abbate, M., 2107
Myerson, A. S. See Chang, M.-J., 1427
Mylonakis, S. G. See Tanrattanakul, V., 2005

Nagai, S. See Nagamune, T., 359
Nagamune, T.
—; Ueda, A.; Nagai, S.: Synthesis of $(AB)_n$-Type Block Copolymers Employing Surface-Active Macro-Azo Initiators, 359
Nagaoka, S. See Kawakami, H., 965
Nagashima, N.
—; Matsuzawa, S.; Okazaki, M.: Syndiotacticity-Rich Poly(vinyl alcohol) Fibers Spun from *N*-Methylmorpholine-*N*-oxide/Water Mixture, 1551
Nagó, S.
—; Mizutani, Y.: Microporous Polypropylene Fibers Containing $CaCO_3$ Fillers, 81
Nagy, D. J.
Erratum to Characterization of Nonionic and Cationic Amine-

Functional Polymers by Aqueous SEC-MALLS, 845
Nakagawa, Y. See Kubota, N., 1153
Nakajima, N.
—; Yamaguchi, Y.: Strain-induced Crystallization of *Cis*-1,4-Polybutadiene Containing Dispersed 1,2-Polydutadiene Crystalline Particles, 2329
Nakayama, K. See Reekmans, B. J., 247; Yoshikai, K., 1331
Nakaya, T. See Li, Y.-J., 687
Narkis, M. See Zhang, X., 1303
Narkis, M. See Zuri, L., 2147
Navaratnam, S. See Shah, M., 319
Nazabal, J. See Martinez, J. M., 385
Nesterov, V. V. See Polotskaya, G. A., 2215
Neto, C. P. See Wang, Y., 501
Ng, T. W.
Scattering-Angle Calibration in an Automated Small-Angle Light-Scattering Apparatus, 617
Nissan, R. A. See Merwin, L. H., 341
Nitta, K.-H. See Yamaguchi, M., 87
Niu, B.-J.
—; Urban, M. W.: Surface and Interfacial Fourier Transform Infrared Spectroscopic Studies of Latexes. XVI. Quantitative Analysis of Surfactant in Multilayered Films, 1903
Nonaka, T.
—; Uemura, Y.; Enishi, K.; Kurihara, S.: Antibacterial Activity of Resin-Containing Triethylenetetramine Side Chains and/or Thiol Groups–Metal Complexes, 1651
—; See Kurihara, S., 153
Novotná, Z. See Ebringerová, A., 1043
Nunes Dos Santos, W. See De Carvalho, G., 2281

Obendorf, S. K. See Stinson, R. M., 2121
O'Byrne, K. See Buggy, M., 1869
Odeberg, J.
—; Rassing, J.; J;auonsson, J.-E.; Wesslén, B.: Water-based Radiation-curable Latexes, 435
Ogawa, T. See Inoue, H., 2303
Ohmae, K. See Saka, S., 1003
Okada, A. See Shiga, T., 903
Okada, M.
—; Okada, Y.; Tao, A.; Aoi, K.: Biodegradable Polymers Based on Renewable Resources: Polyesters Composed of 1,4 : 3,6-Dianhydrohexitol and Aliphatic Dicarboxylic Acid Units, 2257
Okada, Y. See Okada, M., 2257
Okazaki, M. See Nagashima, N., 1551
Oliva, H. M. See Estenoz, D. A., 917
Öncül-Koc, A. See Demirata-Öztürk, B., 613
O'Shea, M. See Cook, W. D., 1699
Ou, D.-L. See Liaw, D.-J., 9
Öztürk, S. See Mustafaev, M., 99

Paci, M. See Minkova, L. I., 1613
Paleos, C. M. See Haralabakopoulos, A. A., 1597
Panaras, R. See Benoît, H., 1847
Panda, R. L. See Samal, S., 1437
Pande, C. S.
—; Gupta, N.: Designing a Support for Borohydride Through Grafting onto Crosslinked Polyvinylpyrrolidone, 1793
—; Gupta, N.: Erratum to Functionalization of Crosslinked Polystyrene by Radiation-Induced Grafting, 955
Panigrahi, A. K. See Patra, M., 19
Parmer, J. F. See Xanthos, M., 1167
Parthasarathy, R. V.
—; Martin, C. R.: Enzyme and Chemical Encapsulation in Polymeric Microcapsules, 875
Pascault, J. P. See Cheikhalard, T., 2365
Pastor, J. M. See Rodriguez-Cabello, J. C., 1953
Patra, M.
—; Panigrahi, A. K.; Sinha, B. K.: Effect of Organized Anionic Surfactant System on Kinetics of Polymerization of Acrylonitrile Initiated by Ce(IV): Citric Acid and Other Organic Substrates, 19
Pazos, J. See Velankar, S., 1361
Pedretti, U. See La Mantia, F. P., 673
Pegram, J. E. See Andrady, A. L., 1457
Peiffer, D. G. See Kurian, T., 1729
Peralta, R. D. See Infante, J. R., 2311
Perrinaud, R. See Benoît, H., 1847
Petrov, S. P.
Conditions for Obtaining Ultrafiltration Membranes from a Solution of Polyacrylonitrile in Dimethylformamide in the Presence of Formamide, 267
Pişkin, E. See Tuncel, A., 789
Pith, T. See Schneider, M., 273
Pohlers, A. See Mangovska, B., 605
Polotskaya, G. A.
—; Agranova, S. A.; Gazdina, N. V.; Kuznetsov, Y. P.; Nesterov, V. V.: Effect of Molecular Weight Parameters on Gas Transport Properties of Poly(2,6-Dimethyl-1,4-Phenylene Oxide), 2215
Pospiech, D.
—; Häßler, L.; Komber, H.; Voigt, D.; Jehnichen, D.; Janke, A.; Baier, A.; Eckstein, K.; Böhme, F.: LC Multiblock Copolymers Containing Polysulfone Segments. 1. Synthesis and Morphology, 1819
Prausnitz, J. M. See Hino, T., 1635
Přikryl, J. See Akrman, J., 235
Pu, H.
—; Ding, Z.; Ma, Z.: Preparation, Characterization, and Properties of EVA Preirradiation Grafted NIPAAm, 1529
Puig, J. E. See Escalante, J. I., 1313

Qin, Y. See Zhang, X. M., 1933
Qi, X. See Chen, D., 1715
Quintana, J. See Hsiao, B. S., 2061
Quintanilla, L. See Rodriguez-Cabello, J. C., 1953

Rácz, I.
—; Borsa, J.; Bodor, G.: Crystallinity and Accessibility

of Fibrous Carboxymethylcellulose by Pad-Roll Technology, 2015
Ragosta, G. See Abbate, M., 2107
Rajabi, L. See Chandra, R., 661
Rajendran, S.
—; Ramasamy, S. S.; Mishra, S. P.: Studies on Dyeing and Structural Behavior of Chemically Treated Polyester Yarns, 989
Ralph, D. E. See Scott, J. P., 2097
Rama Rao, M. See Sekkar, V., 2317
Ramasamy, S. S. See Rajendran, S., 989
Rånby, B. See Yang, W., 545
Rånby, B. See Yang, W., 533
Rao, S. S. See Varkey, J. T., 2169
Rasse, A. See Ducruet, V. J., 1745
Rassing, J. See Odeberg, J., 435
Raymond, M. P. See Bui, V. T., 27
Reddy, G. V.
—; Eunice, S. L.; Kalaiarasi, R.; Sriram, R.: Aqueous Polymerization of Methyl Methacrylate Initiated by Ceric Ion Reducing Agent Systems in Sulfuric Acid Medium, 257
Reekmans, B. J.
—; Nakayama, K.: Hot Drawing of Partially Miscible Blends of Polycarbonate and Poly(butylene terephthalate), 247
Renwick, G. M. See Martin, D. J., 1377
Revenu, P.
—; Guillet, J.; Carrot, C.; Arsac, A.: Validation of Cogswell's Convergent Flow Analysis, 1783
Rheaume, D. See Bui, V. T., 27
Rials, T. G. See Wang, Y., 501
Richeson, G. See Spruiell, J. E., 1965
Riquet, A. M. See Cottier, S., 2219
River, B. H. See Sowunmi, S., 577
Rocha, J. See Wang, Y., 501
Rodriguez-Cabello, J. C.
—; Merino, J. C.; Quintanilla, L.; Pastor, J. M.: Deformation-Induced Conformational Changes in Stretched Samples of Amorphous Poly(ethylene terephthalate), 1953
Rodríguez-Guadarrama, L. A. See Escalante, J. I., 1313
Roggero, A. See La Mantia, F. P., 673
Roudesli, S. See M'Bareck, C. O., 161
Roussos, S. See Torres, A., 2295
Rout, R. C. See Samal, S., 1437
Roy, S.
—; Devi, S.: Mechanism of Microemulsion Polymerization of Methylmethacrylate: Experimental Evidence, 1509
Ruckenstein, E.
—; Liang, L.: Polyacrylic Acid-Polyvinyl Alcohol Semi- and Interpenetrating Polymer Network Pervaporation Membranes, 973
Rudzinski, W. E.
—; Harlapur, S. F.; Aminabhavi, T. M.: Evaluation of Solvent Resistivity of Fluoropolymers for Use as Backup Membranes in Isocyanate Samplers, 1587

Saha, A. K.
—; Mitra, B. C.: Studies on Cyanoethylation of Jute Fiber, 733
Saha, N.
—; Banerjee, A. N.: Dynamic Mechanical Study on Unidirectional Polyethylene–Glass Fibers: PMMA Hybrid Composite Laminates, 1199
—; Banerjee, A. N.: Impact Behavior of Unidirectional Polyethylene–Glass Fibers: PMMA Hybrid Composite Laminates, 1193
Sahoo, D. See Samal, S., 1437
Saka, S.
—; Ohmae, K.: Thermal Properties of Cellulose Triacetate as Prepared from Low-Grade Dissolving Pulp, 1003
Salin, I.
—; Seferis, J. C.: Mass Transfer Effects in Degradation of Bismaleimide Matrix Composite, 1023
Salmén, L. See Hagen, R., 1067
Samal, R. K.
—; Senapati, B. K.; Behuray, T. B.: Synthesis and Characterization of Aniline-Doped Mixed Copolymer Resins. II, 655
Samal, S.
—; Das, R. R.; Sahoo, D.; Acharya, S.; Panda, R. L.; Rout, R. C.: Chelating Resins. III. Synthesis, Characterization, and Capacity Studies of Formaldehyde-Condensed Phenolic Schiff Bases Derived from 1,2-Diamines and Hydroxy Benzaldehydes, 1437
Śanchez, V. See Ĺopez-Castānares, R., 451
Sando, K.
—; Kohjiya, S.; Ikeda, Y.; Yamashita, S.; Kawabata, N.: Liquid Rubber as a Reactive Softener for 1-Chlorobutadiene–Butadiene Rubber, 1093
Şanli, O. See Unal, H. I., 1161
Santacesaria, E. See Di Serio, M., 409
Santerre, J. P. See Tang, Y. W., 1133
Saraç, A. S.
—; Soydan, A. B.; Coka, V.: Aqueous Polymerization of Acrylamide by Electrolitically Generated $KMnO_4$ Organic Acid Redox Systems, 111
Saraç, S. See Mustafaev, M., 99
Sareen, R. See Kohli, N. K., 1219
Sarkar, N.
—; Kershner, L. D.: Rigid Rod Water-Soluble Polymers, 393
Sasaki, Y. See Inoue, H., 2303
Sawan, S. P. See Shieh, Y.-T., 1723
Sawhney, G.
—; Gupta, S. K.; Misra, A.: Structure and Properties of Polyblends of a Thermotropic Liquid Crystalline Polymer with an Alloy of Polyamide-6 and ABS, 1395
Saxena, R. See Aggarwal, A., 2039
Scaffaro, R. See La Mantia, F. P., 673; Minkova, L. I., 1613
Scarparo, M. A. F.
—; Chen, Q. J.; Miller, A. S.; Zhang, J. H.; Allen, S. D.: Mechanisms of Carbon Dioxide Laser Stereolithography in Epoxy-Based Materials, 491
Schäfer, F.-U. See Hourston, D. J., 2025
Schneider, M.
—; Pith, T.; Lambla, M.: Preparation and Morphological Characterization of Two- and Three-Component Natural

Rubber-Based Latex Particles, 273
Sclavons, M.
—; Carlier, V.; De Roover, B.; Franquinet, P.; Devaux, J.; Legras, R.: The Anhydride Content of Some Commercial PP-*g*-MA: FTIR and Titration, 1205
Scott, J. P.
—; Fawell, P. D.; Ralph, D. E.; Farrow, J. B.: The Shear Degradation of High-Molecular-Weight Flocculant Solutions, 2097
Searle, N. D. See Andrady, A. L., 1457
Seferis, J. C. See Salin, I., 1023
Seidel, J. O.
—; Uhrich, K. E.; Laurencin, C. T.; Langer, R.: Erosion of Poly(anhydride-*co*-imides): A Preliminary Mechanistic Study, 1277
Sek, D. See Minkova, L. I., 1613
Sekkar, V.
—; Rama Rao, M.; Krishnamurthy, V. N.; Jain, S. R.: Modeling of Polyurethane Networks Based on Hydroxy-Terminated Polybutadiene and Poly(12-Hydroxy Stearic Acid–*Co*–TMP) Ester Polyol: Correlation of Network Parameters with Mechanical Properties, 2317
Senapati, B. K. See Samal, R. K., 655
Shaban, H. I.
—; Mathew, J.: Copolyesters of Poly(ethylene terephthalate), Hydroquinone Diacetate, and Terephthalic Acid: A Simple Rate Model for Catalyzed Synthesis in Melt, 847
Shah, M.
—; Allen, N. S.; Edge, M.; Navaratnam, S.; Catalina, F.: Photochemistry and Photoinitiation Activity of Radical Polymerization of 2-Substituted Anthraquinone Derivatives. 3. Nanosecond Laser Flash Photolysis Study, 319
Shanks, R. A. See Long, Y., 639
Shantorovich, V. P. See Yampolskii, Y. P., 349
Shao, L. See Guan, Y. L., 1253
Shau, M.-D. See Hsu, W.-H., 427
Shen, J. See Li, G., 2247
Shen, K. See Guan, Q., 755
Sheu, G. S. See Wu, S. R., 1347
Shieh, Y.-T.
—; Hsu, T.-M.; Sawan, S. P.: Conductivities of Polysilanes, 1723
Shiga, T.
—; Okada, A.: Electroplastic Behavior of Doped Poly(3-hexylthiophene), 903
Shinohara, M. See Yonetake, K., 1049
Shucai, L. See Järvelä, P., 813
Shyichuk, A. V.
How to Measure the Degradation Index by Viscometry, 1735
Shyu, S. S. See Wu, S. R., 1347
Sierra, C. A. See Galán, C., 1263
Silverstein, M. S. See Zuri, L., 2147
Simonsen, J. See Wang, Y., 501
Sinha, B. K. See Patra, M., 19
Skourlis, T. P.
—; McCullough, R. L.: An Experimental Investigation of the Effect of Prepolymer Molecular Weight and Stoichiometry on Thermal and Tensile Properties of Epoxy Resins, 481
Smith, G. R. See Xanthos, M., 1167
Somanathan, N.
Effect of Environmental Factors on the Mechanical Properties of Grafted Casein Films: Influence of Humidity and Biaxial Orientation, 1407
Song, M.-E.
—; Kim, J.-Y.; Suh, K.-D.: Preparation of UV-Curable Emulsions Using PEG-Modified Urethane Acrylates: The Effect of Nonionic and Anionic Groups, 1775
Song, Y. M.
—; Chen, W. C.; Yu, T. L.; Linliu, K.; Tseng, Y. H.: Effect of Isocyanates on the Crystallinity and Thermal Stability of Polyurethanes, 827
Soni, R. K. See Chandra, R., 661
Sophiamma, P. N.
—; Sreekumar, K.: Effect of Polymer Architecture on the Efficiency of Acyl Transfer Reactions, 1753
Sowunmi, S.
—; Ebewele, R. O.; Conner, A. H.; River, B. H.: Fortified Mangrove Tannin-Based Plywood Adhesive, 577
Soydan, A. B. See Saraç, A. S., 111
Sperling, L. H. See Tanrattanakul, V., 2005
Spitz, R. See McKenna, T. F., 1835
Springer, J. See Huber, F., 145
Spruiell, J. E.
—; Lu, F.-M.; Ding, Z.; Richeson, G.: The Influence of Isotacticity, Ethylene Comonomer Content, and Nucleating Agent Additions on the Structure and Properties of Melt-Spun Isotactic Polypropylene Filaments, 1965
Sreekumar, K. See Sophiamma, P. N., 1753
Sriram, R. See Reddy, G. V., 257
Stephens, T. S. See Merwin, L. H., 341
Stern, S. A. See Houde, A. Y., 2181
Stetz, E. M. See Tebelius, L. K., 1887
Stevels, W. M.
—; Bernard, A.; Van de Witte, P.; Dijkstra, P. J.; Feijen, J.: Block Copolymers of Poly(L-Lactide) and Poly(E-Caprolactone) or Poly(Ethylene Glycol) Prepared by Reactive Extrusion, 1295
Stinson, R. M.
—; Obendorf, S. K.: Simultaneous Diffusion of a Disperse Dye and a Solvent in PET Film Analyzed by Rutherford Backscattering Spectrometry, 2121
Storti, G. See Tognacci, R., 2341
Stricker, F.
—; Mülhaupt, R.: Influence of Thermoplastic Elastomers on Mechanical Properties and Morphologies of Isotactic Polypropene/Glass Bead Hybrid Composites, 1799
Sturesson, C. See Albertsson, A., 695
Su, Y.-F. See Wu, H.-D., 227; Ma, C.-C. M., 523
Subramaniam, V. See Devi, A. S., 1259

Subrayan, R. P.
—; Jones, F. N.: ^{13}C-NMR Studies of Commercial and Partially SelfCondensed Hexakis(methoxymethyl)melamine (HMMM) Resins, 1237
Sugimoto, M. See Ishikawa, M., 1495
Suh, K.-D. See Song, M.-E., 1775
Sulewski, R. See Zellers, E. T., 2069
Sun, Q.
—; Chen, B.; Zhang, D.; Wadsworth, L. C.: Application of Neural Networks to Meltblown Process Control, 1605
—; See Zhang, D., 367
Sun, R.
—; Lawther, J. M.; Banks, W. B.: Effects of Pretreatment Temperature and Alkali Concentration on the Composition of Alkali-Soluble Lignins from Wheat Straw, 1473
Suzuki, A. See Kunugi, T., 713

Tak, T.-M. See Jeon, J.-Y., 763
Tang, Y. W.
—; Santerre, J. P.; Labow, R. S.; Taylor, D. G.: Synthesis of Surface-Modifying Macromolecules for Use in Segmented Polyurethanes, 1133
Tanrattanakul, V.
—; Baer, E.; Hiltner, A.; Hu, R.; Dimonie, V. L.; El-Aasser, M. S.; Sperling, L. H.; Mylonakis, S. G.: Toughening Polycarbonate with Core-Shell Structured Latex Particles, 2005
Tao, A. See Okada, M., 2257
Tavman, I. H.
Thermal and Mechanical Properties of Aluminum Powder-Filled High-Density Polyethylene Composites, 2161
Taylor, D. G. See Tang, Y. W., 1133
Tebelius, L. K.
—; Stetz, E. M.; Urban, M. W.: Surface and Interfacial Fourier Transform Infrared Spectroscopic Studies of Latexes. Part XIV. Surface Phase Separation in Polystyrene/Poly-*n*-Butyl Acrylate Latex Films, 1887
Terada, A. See Hoshino, M., 207
Terasawa, N. See Hayakawa, Y., 951
Tesser, R. See Di Serio, M., 409
Thomas, G. V.
—; Gopinathan Nair, M. R.: Viscosity Behavior of PVC-Modified Liquid Natural Rubber Blends, 2229
Thomas, S. See Varkey, J. T., 2169
Tighzert, L. See Cheikhalard, T., 2365
Tognacci, R.
—; Storti, G.; Bertucco, A.: Measurements of Monomer Partitioning in Emulsion Copolymerization Systems, 2341
Tomka, J. G. See Hu, X.-P., 1925
Torikai, A. See Andrady, A. L., 1465
Torres, A.
—; Li, S. M.; Roussos, S.; Vert, M.: Poly(lactic acid) Degradation in Soil or Under Controlled Conditions, 2295
Treviño, M. E. See Infante, J. R., 2311
Tripathy, D. K. See Guriya, K. C., 117; Kurian, T., 1729
Trulli, F. See Di Serio, M., 409
Tseng, Y. H. See Song, Y. M., 827
Tsiourvas, D. See Haralabakopoulos, A. A., 1597
Tuncel, A.
—; Pişkin, E.: Nonswellable and Swellable Poly(EGDMA) Microspheres, 789
Tyagi, R. K. See Kim, H. J., 621

Ueda, A. See Nagamune, T., 359
Uemura, Y. See Nonaka, T., 1651
Ugbolue, S. C. O.
—; Uzomah, T. C.: Effect of Exposure Time on the Mechanical Properties of Solvent Vapor-Treated Polypropylene Films, 1693
Uhrich, K. E. See Seidel, J. O., 1277
Ülçer, Y.
—; Cakmak, M.: The Effect of Annealing on the Structure of Injection-Molded Pen, 1661
Unal, H. I.
—; Şanli, O.: Swelling-Assisted Graft Copolymerization of 4-Vinyl Pyridine on Poly(ethylene terephthalate) Films Using a Benzoyl Peroxide Initiator, 1161
Urban, M. W. See Tebelius, L. K., 1887; Martin, L. R., 1893; Niu, B.-J., 1903
Uzomah, T. C. See Ugbolue, S. C. O., 1693

Van de Witte, P. See Stevels, W. M., 1295
Van Deipen, G. See Cook, W. D., 1699, 1709
Varga, J. See Karger-Kocsis, J., 291
Varkey, J. T.
—; Rao, S. S.; Thomas, S.: Effect of Prevulcanization on the Rheological Behavior of Natural Rubber/Styrene Butadiene Rubber Latex Blends, 2169
Vasiliu-Oprea, C.
—; Dan, F.: On the Relation Between Synthesis Parameters and Morphology of Anionic Polycaproamide Obtained in Organic Media. I. Influence of the $Na[O(CH_2)_2OCH_3]$ ch_2AIH_2/Isophorone Diisocyanate Catalytic System, 1517
Vautier, C. See Denis, A., 1211
Velankar, S.
—; Pazos, J.; Cooper, S. L.: High-Performance UV-Curable Urethane Acrylates Via Deblocking Chemistry, 1361
Vert, M. See Torres, A., 2295
Vess, T. M. See Cooper, J. B., 135
Vigil, M. R. See Gonzalez-Benito, J., 375
Villarreal, L. A. See Infante, J. R., 2311
Vittoria, V. See Bove, L., 1035
Voigt, D. See Pospiech, D., 1819; Eichhorn, K.-J., 2053

Wadsworth, L. C. See Sun, Q., 1605
Wallne, A. S. See Merwin, L. H., 341
Wan, M. See Li, W., 941
Wang, B. See Aggarwal, A., 2039
Wang, C.-S. See Lee, M.-C., 217
Wang, P. H.
Conversion of Polyacrylonitrile Fibers to Activated Carbon

Fibers: Effect of Preoxidation Extent (note), 1771
—; Hong, K. L.; Zhu, Q. R.: Surface Analyses of Polyacrylonitrile-Based Activated Carbon Fibers by X-ray Photoelectron Spectroscopy, 1987
Wang, S. H.
—; Azuma, C.: Photosensitive Microspheres for Photoresists, 957
Wang, S. Z. See Fang, Y., 2209
Wang, Y.
—; Simonsen, J.; Neto, C. P.; Rocha, J.; Rials, T. G.; Hart, E.: The Reaction of Boric Acid with Wood in a Polystyrene Matrix, 501
—; See Yang, X., 2351
Wang, Y.-F. See Li, Y.-J., 687
Wang, Z. See Hao, J. H., 129
Wei, X. See Zellers, E. T., 2069
Weil, E. D. See Zhu, W., 2267
Wenxiu, C. See Dalai, S., 75; Hagen, R., 1067
Wesslén, B. See Odeberg, J., 435; Hagen, R., 1067
Whang, D. See Zhang, X., 67
Wilkes, G. L. See Greer, R. W., 1115
Wisniak, J. See Infante, J. R., 2311
Wolf, B.
—; Kenig, S.; Klopstock, J.; Miltz, J.: Thermal Fractionation and Identification of Low-Density Polyethylenes, 1339
Wong, D. See Liu, Z., 2355
Wood, G. A. See Iroh, J. O., 1761
Wootthikanokkhan, J.
—; Burford, R. P.; Chaplin, R. P.: Effect of Acrylic Diblock Copolymer upon Interfacial Adhesion, 835
Wu, H.-D.
—; Lee, M.-S.; Wu, Y.-D.; Su, Y.-F.; Ma, C.-C. M.: Pultruded FiberReinforced Polyurethane-Toughened Phenolic Resin. II. Mechanical Properties, Thermal Properties, and Flame Resistance, 227
Wu, R.-J. See Lee, W.-F., 1099
Wu, S.
—; Bubeck, R. A.; Carriere, C. J.: The Effect of Processing Conditions on the Fracture Behavior of Syndiotactic Polystyrene Films, 1483
Wu, S. R.
—; Sheu, G. S.; Shyu, S. S.: Kevlar Fiber–Epoxy Adhesion and Its Effect on Composite Mechanical and Fracture Properties by Plasma and Chemical Treatment, 1347
Wu, Y.-D. See Wu, H.-D., 227; Ma, C.-C. M., 523

Xanthos, M.
—; Parmer, J. F.; La Forest, M. L.; Smith, G. R.: Impact Modification of Aromatic/Aliphatic Polyamide Blends: Effects of Composition and Processing Conditions, 1167
Xu, J.
—; Yang, Y.; Feng, L.; Kong, X.; Yang, S.: Microtacticity of Polypropylene Fractions Produced by Different Active Sites of Heterogeneous Ziegler–Natta Catalyst, 727
Xu, M. See Li, F., 631
Xu, X.
—; Zhang, Z.; Zhang, M.: Microemulsion Polymerization of Butyl Acrylate Initiated by γ Rays, 1179
Xudong, J.
—; Xuehai, Y.: Synthesis and Properties of Polyetherurethane Pendant with Azo-dye by N-Substitution, 1979
Xuehai, Y. See Xudong, J., 1979

Yamaguchi, M.
—; Miyata, H.; Nitta, K.-H.: Compatibility of Binary Blends of Polypropylene with Ethylene-α-olefin Copolymer, 87
Yamaguchi, Y. See Nakajima, N., 2329
Yamamoto, N. See Yanagase, A., 1387
Yamashita, S. See Sando, K., 1093
Yampolskii, Y. P.
—; Finkleshtein, E. Sh.; Makovetskii, K. L.; Bondar, V. I.; Shantorovich, V. P.: Effects of cis–trans-Configurations of the Main Chains of Poly(trimethylsilyl norbornene) on Its Transport and Sorption Properties as Well as Free Volume, 349
Yanagase, A.
—; Ito, M.; Yamamoto, N.; Ishikawa, M.: Effect of Modifier Characteristics on Toughness of Poly (vinyl chloride), 1387
Yang, M.-C.
—; Yu, D.-G.: Catalytic Oxidation of Sulfur Dioxide on Polyacrylonitrile-Based Active Hollow Carbon Fiber, 2287
Yang, P. See Hao, J. H., 129
Yang, S. See Xu, J., 727
Yang, W.
—; Rånby, B.: Bulk Surface Photografting Process and Its Applications. II. Principal Factors Affecting Surface Photografting, 545
—; Rånby, B.: Bulk Surface Photografting Process and Its Applications. I. Reactions and Kinetics, 533
Yang, X.
—; Jia, Y.; Yao, K.; Wang, Y.; Ma, J.: A Study on Piezoelectric Effect of Gelatin Gel, 2351
Yang, Y. See Xu, J., 727; Han, Y., 1739
Yao, K. See Yang, X., 2351
Yao, K.-J. See Zhou, W.-J., 911
Yeom, C. K.
—; Jegal, J. G.; Lee, K. H.: A Characterization of Relaxation Phenomena and Permeation Behaviors in Sodium Alginate Membrane During Pervaporation Separation of Ethanol–Water Mixture, 1561
Yin, J. See Zhang, X., 67, 313, 893
Yin, J. H. See Zhang, X. M., 1933
Yin, Z. See Zhang, X., 67, 1933
Yonetake, K.
—; Shinohara, M.; Masuko, T.: Structures of Liquid Crystalline Wholly Aromatic Copolyester Films with Different Copolymer Compositions, 1049
Yoshikai, K.
—; Nakayama, K.; Kyotani, M.: Thermal Behavior, Morphology, and Mechanical Properties of Blend Strands Consisting of Poly(ethylene telephthalate) and

Semiaromatic Liquid Crystalline Polymer, 1331
Younan, A. F. See Abd-El-Messieh, S. L., 805
Youngquist, J. A. See Karmaker, A. C., 1147
Yu, D.-G. See Yang, M.-C., 2287
Yu, J.
—; Gao, J.; Lin, T.: Biodegradable Thermoplastic Starch (note), 1491
Yu, T. L. See Song, Y. M., 827; Chen, J., 2135
Yu, X. See Jia, X., 465; Chen, J., 2135
Yuan, Q.
—; Huang, F.; Jiao, Y.: Characterization of Modified Bismaleimide Resin, 459
Yücel, F. See Mustafaev, M., 99

Zahran, M. K.
Graft Copolymerization of Methyl Methacrylate and Other Vinyl Monomers onto Cotton Fabric Using Ferrous Cellulose Thiocarbonate–*N*-Bromosuccinimide Redox Initiation System, 49
Zellers, E. T.
—; Anna, D. H.; Sulewski, R.; Wei, X.: Critical Analysis of the Graphical Determination of Hansen's Solubility Parameters for Lightly Crosslinked Polymers, 2069
—; Anna, D. H.; Sulewski, R.; Wei, X.: Improved Methods for the Determination of Hansen's Solubility Parameters and the Estimation of Solvent Uptake for Lightly Crosslinked Polymers, 2069
Zhai, Y. See Zhang, Q., 887
Zhang, D.
—; Sun, Q.: Structure and Properties Development During the Conversion of Polyethylene Precursors to Carbon Fibers, 367
—; See Sun, Q., 1605
Zhang, J. H. See Scarparo, M. A. F., 491
Zhang, M.
—; Jia, W.; Chen, X.: Influences of Crystallization Histories on PTC/NTC Effects of PVDF/CB Composites, 743
—; See Xu, X., 1179
Zhang, Q.
—; Ming, H.; Zhai, Y.: A Novel Unclad Nd^{3+}-Doped Polymer Optical Fiber, 887
Zhang, T. See Cook, W. D., 1699, 1709
Zhang, X.
—; Bell, J. P.; Narkis, M.: The Electropolymerization of Poly(styrene-*co*-4-carboxyphenyl maleimide) Coatings onto Steel, 1303
—; Whang, D.; Yin, Z.; Yin, J.: Properties of Ethylene–Propylene Copolymer/PA-1010 Blends Using Ethylene–Propylene Copolymer-*graft*-Acrylic Acid as a Compatibilizing Agent, 67
—; Yin, J.: Rheological Properties and Crystallization Behavior of Yittrium Oxide Filled Low Ethylene Content Polypropylene Copolymer, 313
—; Yin, J.: The Phase Inversion and Morphology of Nylon 1010/Polypropylene Blends, 893
—; See Li, F., 631
Zhang, X. M.
—; Li, L.; Yin, Z.; Qin, Y.; Yin, J. H.: Thermal Analysis of Ethylene–propylene Copolymer-Grafted-Glycidyl Methacrylate, 1933
Zhang, Z. See Xu, X., 1179
Zhao, X. See Fang, Y., 2209
Zhong, A. See Chen, D., 1715
Zhou, W.-J.
—; Yao, K.-J.; Kurth, M. J.: Synthesis and Swelling Properties of the Copolymer of Acrylamide with Anionic Monomers, 911
Zhou, Z. See Chen, D., 1715
Zhu, Q. R. See Wang, P. H., 1987
Zhu, W.
—; Weil, E. D.; Mukhopadhyay, S.: Intumescent Flame-Retardant System of Phosphates and 5,5,5′,5′,5″,5″-Hexamethyltris(1,3,2-Dioxaphosphorinanemethan) amine 2,2′,2″-Trioxide for Polyolefins, 2267
Zhu, W. See Li, F., 631
Zhu, X. See Guan, Q., 755
Zhu, Y. See Li, G., 2247
Zuri, L.
—; Silverstein, M. S.; Narkis, M.: Organic-Inorganic Character of Plasma-polymerized Hexame thyldisiloxane, 2147

Journal of Applied Polymer Science

Subject Index to Volume 62

Acetic acid/acetic anhydride/ sulfuric acid system, 1003
Acid catalysis, 1237
Acrylic fibers, 33
Activated carbon fibers (ACFs), 1771, 1987
Acyl transfer reactions, 1753
Adhesion, 199, 835, 893, 1347
Adhesion promoter, 1205
Adhesives, 1, 577, 1263
Adsorption, 613
Adsorption chromatography, 1847
Affinity membranes, 1153
Aliphatic epoxides, 1597
Alkali-soluble lignins, 1473
Amino-terminated butadiene–acrylonitrile copolymer, 2107
Amorphous poly(ethylene terephthalate), 1953
Anhydride-grafted polypropylenes, 1205
Aniline doping, 655
Anionic block copolymerization, 2355
Anionic polymerization, 1517
Anionic surfactant system, 19
Annealing, 605, 1483, 1661
Antibacterial activity, 1651
Aqueous cationomeric polyurethanes (ACPU), 1993
Aqueous electrosynthesis, 1761
Aqueous polymerization, 111, 257
Aqueous salt solutions, 785
Aqueous stretched cottons, 1259
Aromatic antioxidants, 2201
Aromatic epoxides, 1597
Aromatic polyamides, 9
Aromatic polyimides, 965
Arrhenius apparent activation energy, 1715
Asymmetric membranes, 965
Atomic absorption spectrometry, 613
Azo-dye, 1979

^{11}B-NMR, 501
Back-propagation neural networks (BPNNs), 1605
Bifunctional initiators, 917
Binary accelerator systems, 647
Binary acclerators, 1057
Binary blends, 87
Biodegradability, 1277, 1491, 2257
Blend compatibilizer, 1205
Blend strands, 1331
Blends, 59, 67, 75, 87, 167, 247, 385, 509, 673, 721, 813, 893, 1167, 1331, 1395, 1445, 1495, 1503, 1613, 1699, 1709, 2229
Block copolymers, 359, 1295, 1415
Block multiplicity, 359
Blocked diisocyanate, 523
Blowing agent, 117
Boric acid, 501
Borohydride, 1793
Broido's method, 1509
Bulk polymerizations, 917
Bulk surface photografting, 533, 545

^{13}C-nuclear magnetic resonance (NMR), 501
^{13}C-nuclear magnetic resonance (NMR) spectroscopy, 1237
3C-shaped spinneret, 129
Carbon blacks, 117, 2193
Carbon fibers, 367
Carbonization, 367
Carboxyl-terminated polyamides, 2053
Carboxymethylcellulose, 2015
Casein, 1407
Casein Films, 1407
Catalytic oxidation, 2287
Catalytic systems, 409
Cellular materials, 1115
Cellulose, 2015
Cellulose acetate, 2181
Cellulose acetate hollow fibers, 129
Ceric ion reducing agent systems, 257
Chain degradation, 1043
Chain transfer agent, 1067
Chain-extension reactions, 1231
Channel die, 167
Charge-coupled detectors, 617
Chelating resins, 1437
Chitosan films, 1465
Chromatograms, 1847
Cis–trans configurations, 349
Clay, 1729
Coatings, 1303
Cogswell's convergent flow analysis, 1783
Collagen fibers, 1577
Compatibilization, 67
Component extraction, 501
Composite membranes, 2215
Composites, 227, 501, 743, 799, 1023, 1193, 1199, 2193
Cone-plate viscometer, 313
Copolycondensation, 473
Copolyimides, 2303
Copolymer compositions, 1049
Copolymerization, 447, 707
Copolyurethane systems, 2317
Cottons, 1259
Coupling agent, 509
Crosslink density, 2025
Crosslinked polymers, 2069, 2069
Crosslinked polyvinylpyrrolidone (PVPy), 1793
Crosslinking, 273, 523, 779, 973, 1057, 1099, 1285, 1495, 1577, 1753, 2351
Crystallinity, 15, 631, 827, 1211
Crystallization, 313, 743, 1079, 1661, 2329
Crystallization behavior, 2237
Curing, 427, 459, 491, 567, 661, 1093, 1715
Curing kinetics, 1641
Curing reaction systems, 1231
Cyanoethylation, 733
Cyclotetrasiloxane monomers, 2355

Damage process modeling, 181
Dart impact energy, 1699
Deblocking chemistry, 1361
Deformation, 247
Degradation, 1023, 1029, 1457, 1465, 2295
Degradation in an activated sludge, 2257

Degradation index (DI), 1735
Density gradient columns, 755
DGEBA/DETA systems, 1941
Dialkyl(or aryl)phosphates, 1855
Diamines, 2303
Diaminodiphenyl sulfone-crosslinked tetraglycidyl 4,4′-diaminodiphenyl methane resin, 1869
Dianhydrides, 2303
Diblock copolymers, 835
Dielectric Relaxation, 805
Diels–Alder reaction, 557
Differential scanning calorimetry (DSC), 9, 87, 227, 291, 313, 367, 427, 481, 501, 567, 605, 639, 661, 695, 799, 827, 1253, 1377, 1529, 1613, 1641, 1715
Diffusion, 1587
Dilute aqueous solutions, 161
Dispersed crystalline particles, 2329
Dopants, 15
Dry–wet spinning technique, 129
Dye diffusion behavior, 989
Dyeing, 989
Dyeing behavior, of fiber, 235
Dyeing rate, of fibers, 2121
Dyes, 447
Dynamic contact angle analyzer (DCA), 1761
Dynamic mechanical analysis (DMA), 87, 501, 1729
Dynamic mechanical thermal analysis (DMTA), 813, 1377
Dynamic viscoelasticity, 903

Effectiveness factor, 1023
Elastomeric liner, 341
Elastomers, 639, 673
Electric fields, 903
Electrical conductivities, 1723
Electrical stress, 1679
Electrochemical impedance spectroscopy (EIS), 1029
Electrolysis, 111
Electromagnetic shielding polymer composites, 2193
Electron beam irradiation, 1115
Electron spin resonance (ESR), 2219
Electron-spin-resonance (ESR) spectroscopy, 1325
Electroplastic behavior, 903
Electropolymerization, 1303
Emulsion, 1509
Emulsion block copolymerization, 359
Emulsion copolymerization systems, 2341
Emulsion polymerization, 273, 435, 957
Encapsulation, 875
Energetic polyurethanes, 27
Engineering polymer system, 1395
Enhanced oil recovery, 393
Entanglement theory for fracture, 1709
Enzymatic degradation, 2257
Enzymes, 875
Epoxides, 1679
Epoxy Adhesives, 1
Epoxy resins, 217, 481, 523, 661, 1641, 1855
Epoxy–imide resin, 427
Equilibrium swelling, 1285
Escherichia coli (*E. coli*), 1651
Ester interchange reaction, 473
Ethanol–water mixture, 1561
Ethylene, 1835
Ethylene comonomer content, 1965
Ethylene–propylene copolymer, 1933
Ethyl–vinyl acetate copolymer (EVA) preirradiation, 1529
Exo-3,6-epoxy-1,2,3,6-tetrahydrophthalic glycinylimide(ETGI), 557
Extensional flow, 1627
Extrusion, 1167, 1699

Fatty acid esters, 1745,
Fiber-epoxy adhesion, 1347
Fiber-reinforced pultruded composites, 227
Fibers, 33, 81, 129, 235, 501, 605, 713, 771, 887, 1147, 1193, 1199, 1325, 1347, 1551, 1577, 1761, 1771
Fick's equation, 1587
Fillers, 81, 639
Films, 533, 1049, 1161, 1483
Flame retardancy, 2267
Flocculants, 2097
Floor materials, 1011
Flory–Rehner theory, 1635
Flow behavior index, 59
Fluoroelastomers, 673
Fluorophores, 375
Fluoropolymers, 1587
Food and packaging interactions, 1745,
Fourier transform infrared (FTIR) spectrometry, 1231
Fourier transform infrared (FTIR) spectroscopy, 199, 375, 435, 1339, 1465, 1613, 1715, 1761
Fourier transform infrared (FT-IR) spectroscopy, 1887, 1893, 1903
Fractionation, 727
Fracture behavior, 1483
Fracture toughness, 863
Free radicals, 1325
Free volume, 349
Free-radical chain polymerization, 545
Free-radical retrograde precipitation polymerization (FRRPP), 2039
Free-volume changes, 451
Functionalization, 1753

Gamma rays, 1179
Gas chromatography/gas mass spectrum (GC/MS) analysis, 207
Gas diffusion, 1035
Gas permeability, 965, 2215
Gas separation, 951
Gas sorption, 1035
Gas transport, 1427
Gel fractions, 75
Gel permeation chromatography (GPC), 207
Gelatin gel, 2351
Gels, 153, 771, 911, 1635, 2351
Glass fibers, 375, 1193, 1199
Glass transition, 451, 1739
Glass transition temperature, 1067
Glassy polymers, 1035
Glycidyl methacrylate (EP-*g*-GMA), 1933
Graft copolymerization, 49, 595, 1161, 2209
Graft copolymers, 1415

Halogen-free intumescent flame-retardant system, 2267
Hansen's solubility parameters, 2069, 2069
Heat resistance, 799
Hexamethyldisiloxane, 2147
High performance polyethylene fibers (PEF), 1193, 1199
Hoffman–Lauritzen equation, 1079
Homogeneous membranes, 2215
Homogenizing agent, 509
Homopolyamides, 2237
Homopolymerization, 557
Hot drawing, 247
Hot-melt pressure-sensitive adhesives, 1263
Hot-wire standard technique, 2281
HV capacitors, 1679
Hybrid gels, 153

Hydrogels, 301, 1253, 1285
Hydrolysis, 1277
Hydroxyl groups, 733
Hysteresis energy methods, 863

Ignition, 1503
Image digitization, 617
Imidization kinetics, 2135
Imidization temperatures, 199
Immobilization, 875
Impact modification, 1167
Impact resistance, 1387
In situ sol-gel chemistry, 417
Infrared (IR) spectra, 9, 763
Infrared (IR) spectroscopy, 207, 695
Infrared laser curing, 491
Iniferters, 1129
Injection m, 1147
Injection molding, 755, 1537, 1661, 1699
Insulation, 1303
Insulators, 1029, 1723
Interfacial adhesion, 835
Interfacial agent, 1627
Interpenetrating polymer networks (IPNs), 301, 973, 2025
Intrinsic viscosities, 785
Inverse suspension polymerization, 1099
Ionic strength, 2351
Ionomers, 1729
Isotactic polypropene, 1799
Isotactic polypropene/glass bead hybrid composites, 1799
Isotactic polypropylene, 1843
Isotacticity, 1509, 1965
Izod impact energy, 1699

Jet-cooking, 749
J-integral, 863
Joint strength behavior, 1
Jute fibers, 733

Kevlar 49 fibers, 1347
Kinetics, 409
Kissinger method, 1641

Lactic acid formation, 2295
Latex blends, 2169
Latex films, 1887, 1893, 1903
Latex particles, 273, 435, 2005
Latex products, 585
Latexes, 435, 1067, 1313, 1887, 1893, 1903
LC multiblock, 1819
Lignins, 1473
Linear epoxy resins, 1941
Linear low-density polyethylenes, 1783
Liquid crystal polymers (LCPs), 673
Liquid crystalline polymer (LCP), 1331, 1395, 1819
Liquid crystalline polyurethane elastomers (LCPUE), 465
Low water content membranes, 417
Low-density polyethylene (LDPE), 1339
Low-density polyethylene with normal molecular weight (LDPE), 721
Low-density polyethylenes, 1783
Low-grade dissolving pulps, 1003
Low-temperature plasmas, 1325

Macro-azo initiator (MAI), 359
Macroazoinitiators, 1415
Macroinitiators, 1129
Magnetic resonance imaging (MRI), 341
Magnetic susceptibility, 941
Maleimido-terminated rubber, 2107
Mangrove bark tannin adhesives, 577
Mark–Houwink exponent, 1735
Mass transfer effects, 1023
Mass transfer limitations, 1835
Melt elasticity, 59
Melt extrusion, 893
Melt polymerization, 847
Melt spinning, 713
Melt transesterification, 409
Melt viscosity, 59
Meltblown process, 1605
Melt-spun polypropylene filaments, 1965
Membrane formation, 621
Membrane technology, 33
Membranes, 33, 267, 417, 951, 965, 973, 1561, 1587, 2215
Metal complexes, 1651
Methacrylic acid, 2039
Methyl methacrylate, 707
Microbial degradation, 1029
Microemulsion, 1179, 1509
Microemulsions, 1313
Microporous polypropylene fibers, 81
Microspheres, 695, 789, 957
Microwave radiation, 2135
Miscibility, 161, 385
Mixing time, 1445
Mohr's salt, 595
Molten phase, 1597
Monomer partitioning, 2341
Morphology–property relationships, 1699, 1709
Multiblock copolymers, 1819

N-aryl maleimides, 707
Nafion-*in situ* sol-gel reactions, 417
Nanosecond laser flash photolysis, 319
Natural rubber, 805
Natural rubber (NR)-based latex particles, 273
Nonisothermal crystallization, 313
Nonlinear-Avrami equation, 1079
Nontheta solvents, 785
Novel superabsorbent copolymers, 911
N-substitution, 1979
Nuclear magnetic resonance (NMR) spectroscopy, 217
Nucleating agent additions, 1965
Nylon 6 fibers, 771
Nylon drops, 1627

Ocular drug delivery, 695
One-step polymerization, 763
On-line X-ray characterization, 2061
Optical copolymers, 1079
Optimization, 1219
Organic substrates, 19
Orowan brittle–ductile hypothesis, 1709
Orthopedic applications, 1277
Oscillating packing injection molding, 755
Ozawa method, 1641

Paper coatings, 1067
Particle growth, 1517
PEG-modified urethane acrylates (PMUA), 1775
Perfluoropolyether (PFPE), 207
Permeability, 2181
Permeation, 1587
Permeation behavior, 1561
Pervaporation separation, 1561
pH, 1253
Phase inversion, 621, 893, 917
Phase separated system, 847
Phenolic resin, 227
Photochemistry, 319
Photodegradation, 1457, 1465
Photografting, 533, 545
Photoinitiation, 319, 1185
Photopolymerization, 319
Photoresists, 957

Photosensitivity, 957, 1185
Physical aging studies, 1843
Piezoelectricity, 2351
Plane-strain compression, 167
Plasma polymerization, 951, 2147
Plasma polymerization reactor, 145
Plasmas, 1325
Plasticization, 417
Polyacrylonitrile fibers, 1925
Polyacrylonitrile (PAN)-based activated carbon fibers (ACFs), 1987
Polyacrylonitrile-based active hollow carbon fiber (AHCF), 2287
Polyamide 6, 9, 2053
Polyaniline (PANi) membranes, 1427
Polyanions, 99
Polycarbonate, 2005
Polycomplexes, 99
Polycondensation, 359, 941
Polyelectrolyte, 585
Polyester resin, 2107
Poly(ether urethane)/Poly(ethyl methacrylate) IPNs, 2025
Polyether-ester polyamic acid imidization process, 2135
Polyethylene composites, 2161
Polyethylene precursors, 367
Poly(ethylene terephthalate) (PET), 1331, 1953, 2121
Polyfunctional monomer (PFM), 779
Polyimide derivatives, 763
Polyimides, 199, 1029
Polyisocyanates, 1011
Polymer architecture, 1753
Polymer chain free radicals, 533
Polymer melt, 501
Polymer optical fibers (POF), 887
Polymer processing, 135
Polymerization conversion, 911
Polymer–metal complex particules, 99
Polypropylene films, 1679, 1693
Polypropylene fractions, 727
Polypropylene (PP)/elastomer/filler hybrids, 639
Polypropylenes, 1965
Polypyrrole–carbon fiber interphases, 1761
Poly-Schiff bases, 941
Polysilanes, 1723
Polysulfone (PSU), 1819
Polyurethane elastomers, 1377, 1979
Polyurethane macroazo initiator (PUMAI), 2365
Polyurethane-based binder systems, 2317
Polyurethanes, 27, 687, 827, 1133
Poly(vinyl alcohol) (PVA), 2139
Poly(vinyl benzal), 2139
Poly(vinyl chloride) (PVC), 1387
Poly(vinyl chloride) (PVC) floor coating, 1011
Polyvinyl-pyridine, 1793
Pontryagin's minimum principle, 1219
Positive temperature coefficient (PTC) materials, 743
Positron annihilation lifetime spectroscopy (PALS), 451
Precise reaction temperature control, 2311
Preoxidation, 1771
Prepolymer, 459
Prepolymer molecular weight, 481
Prepolymerization times, 917
Pretensioning, 1693
Prevulcanization, 2169
Principal component analysis, 135
Process modeling, 1605
Proteins, 99, 1153
Pulp, 1003
Pyridinium-type polymers, 2247

Radiation crosslinking, 779
Radiation polymerization, 1179
Radiation-crosslinked foam, 75
Radiation-induced graft copolymerization, 2209
Radical initiators, 67
Radio-frequency (rf) plasma reactor system, 145
Reactive extrusion, 1295
Real-time *in situ* monitoring, 135
Redox initiation system, 49
Redox initiator, 595
Redox initiator systems, 257
Relaxation behavior, 1739
Relaxation process, 1561
Resin system, 459
Resins, 427, 491, 655, 1237, 1263, 1437, 1641, 1651, 1753
Rheological behavior, 2169
Rigid rod polymers, 393
Rubber, 1
Rubber blends, 509
Rubber compound, 1093
Rubber vulcanizates, 117
Rutherford backscattering spectrometry, 2121

Scanning electron microscopy (SEM), 367, 695, 1517, 1613, 1699, 1729, 1761
Scattering-angle calibration, 617
Schiff bases, 1437
Segmented polyurethanes (SPUs), 631, 687, 1133
Self-condensed resins, 1237
Semibatch emulsion polymerization, 585
Semi-batch nylon 6 reactor, 1219
Semiconductors, 1723
Semicrystalline polymers, 2237
Semiflexible liquid crystalline polyester, 1613
Semiinterpenetrating polymer networks (SIPN), 973
Semipinacol free radicals, 533
Serum proteins, 1153
Shear degradation, 2097
Shear-induced shish-kebab crystals, 755
Silane-containing aromatic polyamides, 9
Silanization, 375
Single filament mechanical properties, 367
Size exclusion chromatography (SEC), 695
Skydrol 500B-4, 1869
Slurry polymerization, of ethylene, 1835
Small-angle light scattering technique, 617
Small-angle x-ray scattering (SAXS), 827, 1377
Soft segment length, 1377
Softeners, 1093
Soil burial degradation, 2257
Solid rocket propellants, 341
Solvent diffusion, 621
Solvent permeation, 1587
Solvent vapor treatment, 1693
Sorption, 349
Spectral scattering coefficient, 1211
Spherulites, 755
Spontaneous ignition, 1503
Stabilization, 367
Staphylococcus aureus (*S. aureus*), 1651
Starch, 1491
Starches, 749
Stereolithography, 491
Stirred tank reactor, 2311
Stoichiometry, 481
Strain-induced crystallization, 2329
Stress, 1537
Stress concentration, 1387
Stress-strain curves, 181
Stress–strain, 1407, 1415
Structural transitions, 451

Styrene, 2155
Styrene–butadiene block copolymers, 1263
Sulfur vulcanization, 647, 1057
Superabsorbent polymers, 1099
Surface modifying macromolecules (SMMs), 1133
Surface photografting, 545
Surfactant, 1115
Suspension polymerizations, 789
Swelling, 301, 911, 1099, 1161, 1285, 1745,
Swelling equilibria, 1635
Swelling kinetics, 1253
Syndiotacticity-rich fibers, 1551
Synthetic rubber, 805
Synthetic variables, 911

$\beta\alpha$-Transformation, 291
Tensile loads, 181
Tensile testing, 27
Tetraglycidyl 4,4′-diaminodiphenylmethane/diaminodiphenyl sulfone-based resins, 1869
Tetraphenols, 217
Thermal conductivity, 2281
Thermal fractionation, 1339
Thermal mechanical analysis (TMA), 435
Thermal radical polymerization, 1129
Thermal stability, 827
Thermally induced residual stress, 1537
Thermogravimetric analysis (TGA), 9, 207, 227, 367, 799
Thermogravimetry (TG), 1613
Thermomechanical analysis (TMA), 27
Thermomechanical degradation, 1709
Thermoplastic elastomers, 465, 1799
Thermoplastic starch, 1491
Thermo-responsive interpenetrating polymer networks (IPNs), 301
Thermosensitivity, 153, 1529
Theta solvents, 785
Thiele modulus, 1023
Three-component microemulsions, 1313
Time-temperature-transformation (TTT) isothermal cure diagram, 1941
Torsional brain analysis (TBA), 1715
Toughening, 1699
Toughening mechanism, 1495
Toughness enhancement, 291
Transesterification, 847
Transmission electron microscopy (TEM), 87, 435
Transport, 349
Transport properties, 1035
Treated yarns, 989
Trimellitic anhydride, 2053
Triplet-triplet absorption, 319
Tris(bathophenanthroline)iron(III), 2155
Two-component system, 1715
Two-stage emulsion polymerization, 1067
Two-step block copolymerization, 465

Ultrafiltration (UF) membranes, 267
Ultrahigh molecular weight high-density polyethylene (UHMW–HDPE), 721
Ultraviolet stabilizers, 2201
Ultraviolet (UV)-curables, 1361
Ultraviolet (UV)-radiation, 435
Unidirectional (UD) hybrid composite laminates, 1199
Unidirectional (UD) hybrid laminates, 1193
Urethane acrylate resin, 1775
UV-curable emulsions, 1775

Very high molecular weight high-density polyethylene (VHMW–HDPE), 721
Vibrating hot drawing, 713
Video-based real-time thin-film fracture technique, 1483
Vinyl monomers, 49
Vinylic organosol coating, 2219
Viscoelastic phase-transformation model, 1537
Viscoelastic transition, 1739
Viscometry, 1735
Viscosimetric method, 161
Viscosity, 1445, 2229
Vulcanization, 647

Water soluble shear stable polymer, 393
Water state, 1253
Water-based radiation curable latexes, 435
Wavelength sensitivity, 1457, 1465
Wet-spun acrylic fiber morphology, 33
Wholly aromatic copolyester, 1049
Wide angle x-ray diffraction (WAXD), 1377
Wide-angle X-ray diffraction analysis (WAXD), 15
Williams–Landel–Ferry- (WLF-) type diffusion-controlled kinetic model, 567
Wood fibers, 501

Xerogellants, 1099
X-ray analysis, 87
X-ray diffraction, 9, 695, 1259, 2061
X-ray photoelectron spectroscopy, 1987
Xylans, 1043

Yielding, 1739
Yittrium oxide (Y_2O_3), as filler, 313

Zhurkov–Bueche equation, 1739
Ziegler–Natta catalysts, 727